What is claimed is:

- 1. A topical composition for application to the lips comprising (a) a reaction product of a silica dioxide, or a derivative thereof, with an organosiloxy resin having a viscosity of about 1000 to about 200,000 cs, and (b) a volatile carrier.
- 2. The composition of claim 1 in which (a) is a reaction product of a tri(alkyl)organosilyl-endblocked silica dioxide, reacted with a polydi(alkyl)organosiloxane having a viscosity of about 10,000 to about 15,000 cs.
- 3. The composition of claim 1 in which the volatile carrier is selected from the group consisting of cyclic or linear volatile silicones, straight or branched chain hydrocarbons having from 8 to 20 carbon atoms.
- 4. The composition of claim 1 which also comprises a rheological modifier.
- 5. The composition of claim 4 in which the rheological modifier is selected from the group consisting of trihydroxystearin; dextrin fatty acid esters; cholesterol and derivatives thereof; silicone gellants; oil soluble cellulose derivatives; oil soluble or swellable polymers or copolymers; organo-clays; polyamides; N-acyl amino acids, and esters and amides thereof; 12-hydroxystearic acid and esters and amides thereof; alkylamides of di- and tricarboxylic acids, and polyethylene; and mixtures thereof.
- 6. The composition of claim 1 which also comprises a structuring agent
- 7. The composition of claim 1 which also comprises a plasticizer.
- 8. The composition of claim 1 which also comprises at least one pigment or cosmetic powder.
- 9. A topical composition for application to the lips comprising (a) a reaction product of a tri(alkyl)organosilyl-endblocked silica dioxide, reacted with a polydi(alkyl)organosiloxane having a viscosity of about 10,000 to about 15,000 cs, and (b) a volatile carrier selected from the group consisting of cyclic or linear volatile silicones, straight or branched chain hydrocarbons having from 8 to 20 carbon atoms..
- 10. The composition of claim 9 in which the volatile carrier is a straight or branched chain hydrocarbon having from 8 to 20 carbon atoms.
- 11. The composition of claim 9 which comprises at least one rheological modifier selected from the group consisting of trihydroxystearin; dextrin fatty acid esters; cholesterol and derivatives thereof; silicone gellants; oil soluble cellulose derivatives; oil soluble or swellable polymers or copolymers; organo-clays; polyamides; N-acyl amino acids, and esters and amides thereof; 12-hydroxystearic acid and esters and amides thereof; alkylamides of di- and tricarboxylic acids, and polyethylene; and mixtures thereof.

- 12. The composition of claim 9 which also comprises a plasticizer selected from the group consisting of a liquid silicone-compatible ester, a fluid high molecular weight hydrocarbon, or a nonvolatile silicone having a viscosity between about 100 to about 10,000,000 cs.
- 13. A transfer-resistant topical system for application to the lips comprising (1) a base coat comprising (a) a reaction product of a silica dioxide, or a derivative thereof, with a organosiloxy resin having a viscosity of about 1000 to about 200,000 cs, and (b) a volatile carrier; and (2) a top coat comprising a primary component that is not soluble in either water or a nonpolar hydrocarbon.
- 14. The system of claim 13 in which the base coat (1)comprises (a)a reaction product of a tri(alkyl)organosilyl-endblocked silica dioxide with a polydi(alkyl)organosiloxane having a viscosity of about 10,000 to about 15,000 cs, and (b) a volatile carrier selected from the group consisting of cyclic or linear volatile silicones, straight or branched chain hydrocarbons having from 8 to 20 carbon atoms, and top coat (2) comprises a primary component selected from the group consisting of nonvolatile polar esters and oils; urethanes, and mixtures thereof.
- 15. The system of claim 14 in which the base coat also comprises a rheological modifier selected from the group consisting of trihydroxystearin; dextrin fatty acid esters; cholesterol and derivatives thereof; silicone gellants; oil soluble cellulose derivatives; oil soluble or swellable polymers or copolymers; organo-clays; polyamides; N-acyl amino acids, and esters and amides thereof; 12-hydroxystearic acid and esters and amides thereof; alkylamides of di- and tricarboxylic acids, and polyethylene; and mixtures thereof.
- 16. The system of claim 14 which also comprises at least one pigment or cosmetic powder.
- 17. The system of claim 14 which also comprises a plasticizer, selected from a group consisting of a liquid silicone-compatible ester, a fluid high molecular weight hydrocarbon, and a nonvolatile silicone having a viscosity between about 100 to about 10,000,000 cs.
- 18. The system of claim 14 which also comprises a structuring agent.
- 19. The system of claim 14 in which the base coat (1) comprises (a) a reaction product of a tri(alkyl)organosilyl-endblocked silica dioxide with a polydi(alkyl)organosiloxane having a viscosity of about 10,000 to about 15,000 cs; (b) a volatile carrier selected from the group consisting of cyclic or linear volatile silicones, straight or branched chain hydrocarbons having from 8 to 20 carbon atoms; (c) a plasticizer, selected from a group consisting of a liquid silicone-compatible ester, a fluid high molecular weight hydrocarbon, or a nonvolatile silicone having a viscosity between about 100 to about 10,000,000 cs; (d) a rheological modifier selected from the group consisting of trihydroxystearin; dextrin fatty acid esters;

cholesterol and derivatives thereof; silicone gellants; oil soluble cellulose derivatives; oil soluble or swellable polymers or copolymers; organo-clays; polyamides; N-acyl amino acids, and esters and amides thereof; 12-hydroxystearic acid and esters and amides thereof; alkylamides of di- and tricarboxylic acids, and polyethylene; and mixtures thereof; and (e) at least one pigment or cosmetic powder; and top coat (2) comprises a primary component selected from the group consisting of nonvolatile polar esters and oils; urethanes, and mixtures thereof.

- 20. A method of achieving long wear of a lip product which comprises applying to the lip a base coat lip product comprising (a) a reaction product of a silica dioxide, or a derivative thereof, with a organosiloxy resin having a viscosity of about 1000 to about 200,000 cs, and (b) a volatile carrier, and allowing the lip product to dry on the lips.
- 21. The method of claim 20 which comprises the further step of applying over the base coat lip product a top coat comprising a primary component that is not soluble in either water or a nonpolar hydrocarbon.